


## 1. Allow also a definition of Pick List instead only a String for an Attribute

### Add Attribute

Name: \*

Type: String 

Modifiable:

Allow this attribute for the following artifacts: \*

Files

Default Value:

Behavior when a new file version is created:

Do not create the attribute

Copy the attribute value from the previous version

Reset the attribute value to the default value

Baselines

Snapshots

Streams

Components

Change Sets

It is only possible to use the attribute string type. We want to have more attribute type, e.g. picking list, enumerations etc.

## 2. View Custom Attributes not only within the TAB Custom Attributes.

With the new implementation it is difficult to see the attributes, especially when you set the custom attribute to change sets. You need to go inside the change set, click on the file in the changes set



Binary Files 🔍 📄

Overview History

Item History

- Update of Testdoc Linliang Fan Jul 28, 2021 9:24 AM (5 minutes ago)
  - Binary Files/Testdoc.docx (Version: 3) was modified
    - Text Compare: Testdoc.docx Initial | Final  
Cannot display text comparison because the initial and final content types are application/vnd.openxmlformats-officedocument.wordprocessingml.document and application/vnd.openxmlformats-officedocument.wordprocessingml.document.
- <No Comment> Linliang Fan Jul 20, 2021 11:02 AM (Last Week)
- Upload of Testdoc Linliang Fan Jul 20, 2021 10:59 AM (Last Week)
- <No Comment> Linliang Fan Jul 20, 2021 10:57 AM (Last Week)

In the document in the tab "Custom Attributes" you can see the custom attribute and its value.

 Testdoc.docx (Version: 3)

Overview

**Custom Attributes**

Details	
Name	Value
State	in work


Problem:

With time the list of change sets will be very long. It is not possible to go every change set and check for the attribute.

Request:

Add a column on the history Tab and view the custom attributes for every change set.

e.g.



The screenshot shows a software interface with a navigation menu at the top: Project Dashboards, Work Items, Plans, Source Control, Builds, Reports, and Designs. A search bar is on the right. The breadcrumb path is: Source Control / Streams / ... / lengere Project (Change and Architecture Management) Default Component / Test Folder /

The main content area shows a document icon and the text "Test Document.docx (Version: 4)". Below this are tabs: Overview, Custom Attributes, **History**, and Links.

The History tab displays a table with the following data:

Item History	Custom Attribute	Value
▶ Version 4 Egbert Lenger Jul 19, 2021 1:26 PM (Yesterday)	released	
▶ Add version 3 of the document Egbert Lenger Jul 13, 2021 2:00 PM (Last Week)	submitted	
▶ Version 2 of the document Egbert Lenger Jul 13, 2021 11:48 AM (Last Week)	in_process	
▶ Test upload Egbert Lenger Jul 9, 2021 8:56 AM		

### 3. Offer in search function also a list of the pre-defined Custom attributes (similar to Location field)

The search functionality for custom attribute can be also improved.

The current implementation:

You need to type the whole name of the custom attribute. There is no picking field. It is hard to remember the right spelling of the custom attribute. The same is also for the value. If you have added the custom attribute, you also need to know the right value for the custom attribute with the right spelling.

## Advanced search <sup>?</sup>

Name or pattern (\*,?):\*  Search

**Search For**

Streams  Workspaces  Components  Baselines  Snapshots  Change Sets  Locks  Files

**Search By**

Case Sensitive

Stream or Workspace  Snapshot  Baseline

Location:\*

Component:

Custom Attributes:

Name	Value	Actions
<input type="text"/>		

## Request:

It would be better to have a proposal field in the name and also a proposal field for the value after you have chosen a custom attribute.

## Advanced search <sup>?</sup>

Name or pattern (\*,?):\*  Search

**Search For**

Streams  Workspaces  Components  Baselines  Snapshots  Change Sets  Locks  Files

**Search By**

Case Sensitive

Stream or Workspace  Snapshot  Baseline

Location:\*

Component:

Custom Attributes:

Name	Value
* Custom Attributes	
released	
submitted	
in_process	

## 4. Offer the selection of an attribute field as a condition also in JRS

If you go to JRS it is not possible to select the custom attribute in the condition field of JRS. This is also a use case, that you can report on the custom attributes, which are set to the change set and to the files.

## Build report

Choose data   Format results   Name and share   Run report

▶ Choose a report type [?](#)

▶ Limit the scope [?](#)

▶ Choose an artifact [?](#)

▶ Trace relationships and add artifacts [?](#)

▼ Set conditions [?](#)

Choose conditions to further limit the content of your report.

Add condition

Continue

### Add condition ×

Attributes of: SCM Change Set [Type: SCM Change Set] ▾

Choose an attribute: [?](#)

attribute ×

Select valid filter values to continue.

Close

Add and Close

Add